

RIGID

Holding Company Limited
a subsidiary of German Pool Group



Product Catalogue



www.rigidappliances.com

Rigid Holding Company Limited

Company Background

Rigid Holding Company Limited ("Rigid") is an international corporation strong in electrical appliances and kitchen cabinetry businesses worldwide. The company focuses on three core areas: exporting products to overseas markets, distributing products for B2B trading in China and expanding the "1-Stop-Shop" kitchen cabinetry with electrical appliances retail market in China through franchise system.

Rigid is fully owned by German Pool Group Company Limited, which was founded by Prof. Edward Kwok Man Chan in 1982. German Pool has now emerged as an influential player in the home appliances and kitchen cabinetry industry in Hong Kong and southern China. Rigid thus has the full support for developing the overseas and China markets.

Manufacturing Capability

To take advantage of the growing electrical appliances, kitchen and bathroom cabinetry market in overseas countries and Mainland China, the company has just invested in building its new Manufacturing Headquarters, a complex of 170,000 m² in Shunde High-Tech Industrial Park, Guangdong. The complex will integrate the company's manufacturing plants, logistics, product development and franchising service centres.

Six manufacturing plants housing Rigid's core production lines:

1. Electric water heater, boiler, space heater and ozone sanitizing system
2. Engineered wood products (EWP)
3. Range hood and gas cooker
4. Kitchen and bathroom cabinetry
5. Induction cooker
6. Other household, commercial & kitchen electrical appliances



Export Trade

With the six specialized manufacturing plants, Rigid is expanding its OEM business producing a wide range of quality electrical appliances and kitchen facilities for overseas buyers. Rigid's expertise in R&D and manufacturing makes it most capable of being overseas companies' OEM partner or their sole distributor in China for opening up the vast Chinese consumer market.

The company's research and product development capabilities also help it to stay ahead of market competition. All of these products carry patentable intellectual properties. With the new Manufacturing Headquarters, the company will have more engineering resources for product development, product testing and parts testing for compliance with international safety standards such as RoHS, WEEE EU Directives and others.

Dealer/Chain Store Business

As for China market, the high demand for home appliances and cabinetry offers Rigid plentiful business opportunities. Rigid is selling its complete line of products to major chain stores and department stores in China, including Carefour, Gome, Suning and Wal-Mart, in order to penetrate the market.

Franchise System

To take advantage of the rise of Chinese consumers' affluence and demand in kitchen and bathroom cabinet, Rigid will offer "1-Stop-Shop" Kitchen & Bathroom Cabinetry Solution" via a Franchise System in China. Rigid's plan is to open franchise stores in all major cities in China. Authorized Franchisees will be granted the rights to run the retail business under Rigid's mother company's brand name "German Pool".

Franchisees will enjoy the following benefits:

- Direct access to products at wholesale rates
- Multi-media marketing and promotion support
- On-going training in products, sales and management

While leveraging on Rigid's support, franchisees will be responsible for repairs, maintenance and servicing of the products as well as providing prompt and quality service to local customers in order to achieve a win-win situation.





Halogen Cooking Pot

Replacing **18** Appliances

Reducing **60%** Fat

Cooking **3X** Faster

Saving **80%** Energy

Halogen Cooking Pot combines multiple functions in one machine. Within minutes, it can effortlessly grill, bake, toast, steam, broil, roast, re-heat, defrost... you name it. It's so easy to operate that it makes everyone a gourmet chef.



Healthy Cooking



Powerful & Efficient



Easy Cleaning



Energy-Saving

Halogen Cooking Pot

Innovative Far-Infrared Technology

Halogen Cooking Pot is a state-of-the-art cookware utilizing far-infrared (FIR) technology. It is fast, healthy and safe, delighting you with savoury dishes.



Energy-Efficient

Halogen Cooking Pot's circular heating element gives out FIR rays, which penetrate food with high heat for fast cooking. By combining FIR penetration with convection and conduction, it further speeds up the cooking process and thus saves energy.

No Microwave Radiation

FIR is a specific light wave from the sun. Unlike microwave radiation, FIR rays are natural and not harmful to humans. Hence, FIR rays are widely applied to products for cooking, heating and medical purposes in countries such as Japan and the USA. Halogen Cooking Pot does not emit microwave radiation, flames nor smoke. It is one of the safest and healthiest cooking tools available.

Juicy & Delicious

FIR rays heat up food from inside out, preventing the surface from turning dry and charred before it is even fully cooked while sealing in juices. FIR rays also help activate the moisture inside food. Grilled meat features crispy surface and tender texture.

Healthy Cooking

FIR rays heat up food thoroughly and can effectively seal in nutrients. Since heat is swiftly transferred to the interior of food, oil is not needed for cooking. Healthy cooking is made easy.

Halogen Cooking Pot

User-Friendly Design

Expandable Capacity



Simply press a button to pull up the extendable arm and add in the Ring Extension, the capacity can then be expanded from a generous 12 L to an extra large 17 L. Ideal for cooking food in larger size such as grilled chicken and turkey, as well as multiple-level cooking with the help of the high and low racks.

Variety of Accessories

Low Rack  For larger food items such as grilled duck, grilled chicken, casserole, etc.	High Rack  For food to be placed near heat source such as skewers, etc.	Combo Rack  A combination of low rack and high rack.
Ring Extension  To increase capacity by 5 L. Ideal for large food items or multiple-level cooking.	Pot Cover Rack  To rest cooking pot cover when it is still hot after operation (turn-knob models only)	Plate Lifter  A handy tool for carrying food or plate in and out of the cooking pot.
Frying Pan  For pan-frying gyoza dumplings, fish, rice cakes, turnip cakes, etc.	Baking Pan  For baking/toasting small items such as nuts, french fries, herbs, etc.	Casserole Pot  For making rice casserole, noodle soup, wonton soup, sukiyaki, etc.

Halogen Cooking Pot

Premium Glass Container



Anti-Shock

- Enhanced anti-shock treatment for superb durability

Large Temperature Difference

- Premium heat-resistant glass withstanding up to 180 °C temperature difference

See-Through Design

- Crystal-clear transparent glass for easy monitoring of the cooking process

“Easy-Lift” Cooking Pot Lid

Without the need to set aside the lid, the unique design keeps the kitchen cluster-free and is convenient to use.



Halogen Cooking Pot



CKY-688F

Dimensions: (H)330 x (W)330 x (D)470 mm
Net Weight: 6.5 kg
Power: 1300 W
Capacity: 12 (+5) L
Timer: 0 - 120 min
Temperature: 50°C - 250°C
Control Panel: Digital



CKY-689F

Dimensions: (H)330 x (W)330 x (D)470 mm
Net Weight: 6.3 kg
Power: 1300 W
Capacity: 12 (+5) L
Timer: 0 - 120 min
Temperature: 65°C - 250°C
Control Panel: Digital



CKY-691F

Dimensions: (H)310 x (W)345 x (D)460 mm
Net Weight: 7.0 kg
Power: 1300 W
Capacity: 12 (+5) L
Timer: 0 - 120 min
Temperature: 65°C - 250°C
Control Panel: Digital



Halogen Cooking Pot



CKY-686F

Dimensions: (H)330 x (W)330 x (D)470 mm
Net Weight: 6.5 kg
Power: 1300 W
Capacity: 12 (+5) L
Timer: 0 - 60 min
Temperature: 100°C - 250°C
Control Panel: Manual



CKY-915

Dimensions: (H)315 x (W)370 x (D)470 mm
Net Weight: 7.5 kg
Power: 1500 W
Capacity: 15 L
Timer: 0 - 120 min
Temperature: 65°C - 250°C
Control Panel: Digital



CKY-19M

Dimensions: (H)275 x (W)320 x (D)305 mm
Net Weight: 4.1 kg
Power: 1000 W
Capacity: 7 (+3.5) L
Timer: 0 - 60 min
Temperature: 100°C - 250°C
Control Panel: Manual

Halogen Cooking Pot



CKY-8M

Dimensions: (H)290 x (W)240 x (D)280 mm
Net Weight: 2.7 kg
Power: 1000 W
Capacity: 3.5 L
Timer: 0 - 60 min
Temperature: 65°C - 250°C
Control Panel: Manual



CKF-6D

Dimensions: (H)315 x (W)335 x (D)425 mm
Net Weight: 8 kg
Power: 1300 W
Capacity: 12 L
Timer: 0 - 60 min
Temperature: 65°C - 250°C
Control Panel: Manual



Healthy Slow Cooker

Visible Cooking Process

Retaining Food Nutrients

Energy Saving

Food therapy is an integral part of traditional Chinese medicine, and slow-boiled soup has been highly praised. Healthy Slow Cooker is thus developed for making nutritious soup. The flameless cooker is perfect for simmering, which allows nutrients and herbs to permeate the soup bringing nourishment and disease preventing effect.

Multiple Cooking Functions



Soup



Herbal Soup



Congee



Double-Boiled
Soup



Stew/Carbonnade




Braised Food

Healthy Slow Cooker

- Cooking not only soups and congees but also Chinese herbal and medicinal recipes
- Only 1 kWh electricity consumption in 4 hours of continuous operation
- Dual safety protection and auto temperature control
- Fully transparent container makes cooking process visible
- Flameless cooking – safe for children
- Disc-shaped heating tray provides full heating coverage
- Only 1% water loss in 4 hours of soup making

Special Tempered Glass Container



Resistant to Acid & Alkali



Anti-Shock



RoHS Compliant

Alternative Applications of Glass Container



Fridge-Safe



Microwave-Safe



Salad Bowl



Healthy Slow Cooker



GMD-35

Dimensions: (H)275 x (W)242 x (D)240 mm
 Net Weight: 2.73 kg
 Power: 300 W
 Capacity: 3.5 L
 Control Panel: Manual



GMD-50


Dimensions: (H)300 x (W)292 x (D)262 mm
 Net Weight: 3.35 kg
 Power: 300 W
 Capacity: 5.0 L
 Control Panel: Manual



GMD-65

Dimensions: (H)310 x (W)320 x (D)282 mm
 Net Weight: 4.75 kg
 Power: 350 W
 Capacity: 6.5 L
 Control Panel: Manual

Combine the Best of Halogen Cooking Pot & Healthy Slow Cooker



Halogen Cooking Pot

Grill Bake Toast
Steam Broil Roast



Healthy Slow Cooker

Boil Double-Boil Simmer
Stew Braise

2-in-1 Multi-Functional Pot

*Healthy New Combination
Super Multi-Functional
Space Saving*

Combining the merits of a Multi-Purpose Halogen Cooking Pot and a Healthy Slow Cooker, it gives double health benefits. It cooks a variety of food, such as grilled salmon and roast chicken in a grease-free way; at the same time, it is capable of making double-boiled soup, Chinese herbal soup, congee, stew and braised food to nourish your body.

HSC-65

Dimensions : (H)330 x (W)320 x (D)280 mm
Net Weight: 4.5 kg
Power: 350 W (Slow Cooker)
1000 W (Halogen Pot)
Capacity: 6.5 L
Timer: 0 - 60 min
Temperature: 65°C - 250°C
Control Panel: Manual



Herb Brewing Pot

*Ideal for Ginseng & Herb Brewing
Essence Kept During Simmering
5 Convenient One-Touch Functions*

Herb Brewing Pot is especially designed for braising ginseng soup and herbal medicine in the serving size of one bowl. The advanced pot design makes it effective for keeping the essence in soup for nutritious and medical purposes.

PP-88

Dimensions : (H)310 x (W)275 x (D)300 mm
Net Weight: 3.5 kg
Power : 300 W
Capacity: 2.5 L
Temperature: 65°C - 100°C
Control Panel: Digital





Baby Care Series

*Japanese PTC Technology for Speedy Heating
Versatile & Compact Design for Ease of Use
Imported Child-Safe Plastic*

The wide variety of bottle warming and sterilizing products make baby care all the more convenient. Their plastic parts are made from edible tasteless materials to ensure safety. Bottle warmers feature advanced PTC heating technology introduced from Japan and large calibers that enable bottles of different sizes to fit in. Steaming sterilizers protect the health of babies. The series also offers various combos with bottle warming and sterilizing as well as wipe warming functions.

Baby Care Series



Bottle Warmer with Lid BY-01

Dimensions : (H)191 x (W)137 x (D)137 mm
Power: 80 W
Temperature: 40°C - 100°C (±5°C)
Control Panel: Manual
Function: Milk warming



Bottle & Food Warmer BY-02

Dimensions: (H)160 x (W)125 x (D)135 mm
Power: 80 W
Temperature: 40°C - 100°C (±5°C)
Control Panel: Manual
Function: Milk and baby food warming



Bottle Warmer BY-10

Dimensions: (H)144 x (W)120 x (D)120 mm
Power: 80 W
Temperature: 40°C - 100°C (±5°C)
Control Panel: Manual
Function: Milk warming



**Bottle Warmer with Car Charger
BY-11**

Dimensions: (H)152 x (W)118 x (D)118 mm
 Power: 20 W / 150 W
 Temperature: 45°C (±3°C)
 Control Panel: Press Button
 Function: Milk and baby food warming

Note: Optional car charger (DC: 12 V) available



**Dry-Heating Bottle Warmer
MS-01**

Dimensions: (H)120 x (W)125 x (D)135 mm
 Power: 80 W
 Temperature: 45°C (±5°C)
 Control Panel: Manual
 Function: Stainless steel inner shell enables milk heating with or without water



**Bottle Warmer
SN-01**

Dimensions: (H)161 x (W)200 x (D)135 mm
 Power: 80 W
 Temperature: 40°C - 100°C (±5°C)
 Control Panel: Manual
 Function: Warming two bottles of milk at the same time



**Steam Sterilizer
BY-03**

Dimensions: (H)270 x (W)210 x (D)225 mm
 Power: 350 W
 Temperature: 100°C (±5°C)
 Function: Sterilizing 6 milk bottles at the same time



**Portable Steam Sterilizer
BY-04**

Dimensions: (H)285 x (W)100 x (D)165 mm
 Power: 120 W
 Temperature: 100°C (±5°C)
 Function: - Stackable design good for travel
 - Sterilizing 2 milk bottles at the same time



**Steam Sterilizer with Drying Mode
BY-09**

Dimensions: (H)306 x (W)250 x (D)255 mm
 Power: 100 W / 300 W
 Temperature: 40°C - 100°C (±5°C)
 Control Panel: Digital
 Function: Sterilizing and drying 6 milk bottles at the same time





**2-in-1 Bottle Warmer & Sterilizer Combo
BY-15**

Dimensions : (H)307 x (W)197 x (D)258 mm
 Power: 120 W / 80 W
 Temperature: 40°C - 100°C (±5°C)
 Control Panel: Manual
 Function:
 - Milk warming
 - Sterilizing 6 milk bottles at the same time



**2-in-1 Bottle & Wipe Warmer
BY-16**

Dimensions: (H)307 x (W)197 x (D)258 mm
 Power: 35 W
 Temperature: 45°C (±5°C)
 Function:
 - Warming milk
 - Keeping food warm
 - Heating wet tissue



**All-Purpose Steaming Centre
BY-06**

Dimensions : (H)307 x (W)197 x (D)258 mm
 Power: 300 W
 Temperature: 40°C - 100°C (±5°C)
 Control Panel: Digital
 Function:
 - Milk warming
 - Keeping food warm
 - Food cooking
 - Sterilizing 6 milk bottles at the same time



**All-Purpose Steaming Centre
BY-08**

Dimensions: (H)307 x (W)197 x (D)258 mm
 Power: 300 W
 Temperature: 40°C - 100°C (±5°C)
 Control Panel: Manual
 Function:
 - Milk warming
 - Food cooking
 - Sterilizing 6 milk bottles at the same time



9 min

High Speed O₃ Disinfecting Cycle



Effectively eliminate germs & bacteria up to 99.98%

Ozone Sanitizing System


Ozone Sanitizing System (OSS) effectively sanitizes and deodorizes garments, bedding, baby items, towels, toys, leather goods, etc. OSS emits ozone to kill and neutralize up to 99.98% bacteria, viruses, pathogens, mold and other microorganisms. Combining ozone with the high-heat from PTC technology, OSS gives excellent sanitization power.

- Double disinfecting power
- All-weather sanitizing, dehumidifying & deodourizing of clothing
- Thorough removal of odour in fabrics
- Automatic operating cycle
- Fight against germs, viruses & pathogens
- No chemical or allergy-causing substances
- 100% Non-corrosive, non-residual, non-polluting



Ozone Sanitizing System

Control Panel



OZ-280

Dimensions: (H) 1785 x (W) 400 x (D) 650 mm
 Net Weight: 41 kg
 Power: 1245 W
 Capacity: 280 L
 Ozone Level: 1000 mg/h
 Control Panel: Digital



RIGID

Holding Company Limited

a subsidiary of German Pool Group

**Foshan Shunde Rigid Electrical
Appliances Company Limited**
11 Industrial Road, Longjiang Town,
Shunde District, Foshan City,
Guangdong, China

Tel: +86 (0757) 2388 1830
Fax: +86 (0757) 2388 1873
Email: info@rigidappliances.com

Rigid Holding Company Limited
Room 2-4, Upper G/F, Newport Centre,
116 Ma Tau Kok Road,
Tokwawan, Kowloon,
Hong Kong

Tel: +852 2773 2888
Fax: +852 2765 8215
Email: info@rigidappliances.com

© All rights reserved. Copying, reproducing or using the contents of this catalogue is not allowed without prior authorization from Rigid Holding Company Limited. RIGID-PS-09(1)

